

Quarton inc.

VLM-XXX-XX-XXX-DX-FXX



No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
1	VLM-635-58 LPO-D10-F10	635nm - Red	Crosshairs	Class 1M	10°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
2	VLM-635-58 LPO-D10-F20	635nm - Red	Crosshairs	Class 1M	10°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
3	VLM-635-58 LPO-D10-F40	635nm - Red	Crosshairs	Class 1M	10°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
4	VLM-635-58 LPO-D10-F90	635nm - Red	Crosshairs	Class 1M	10°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
5	VLM-635-58 LPT-D10-F10	635nm - Red	Crosshairs	Class 2M	10°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
6	VLM-635-58 LPT-D10-F20	635nm - Red	Crosshairs	Class 2M	10°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
7	VLM-635-58 LPT-D10-F40	635nm - Red	Crosshairs	Class 2M	10°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
8	VLM-635-58 LPT-D10-F90	635nm - Red	Crosshairs	Class 2M	10°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
9	VLM-635-58 LPO-D15-F10	635nm - Red	Crosshair	Class 1M	15°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
10	VLM-635-58 LPO-D15-F20	635nm - Red	Crosshair	Class 1M	15°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
11	VLM-635-58 LPO-D15-F40	635nm - Red	Crosshair	Class 1M	15°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
12	VLM-635-58 LPO-D15-F90	635nm - Red	Crosshair	Class 1M	15°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
13	VLM-635-58 LPT-D15-F10	635nm - Red	Crosshair	Class 2M	15°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
14	VLM-635-58 LPT-D15-F20	635nm - Red	Crosshair	Class 2M	15°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
15	VLM-635-58 LPT-D15-F40	635nm - Red	Crosshair	Class 2M	15°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
16	VLM-635-58 LPT-D15-F90	635nm - Red	Crosshair	Class 2M	15°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
17	VLM-635-58 LPO-D20-F10	635nm - Red	Crosshair	Class 1M	20°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
18	VLM-635-58 LPO-D20-F20	635nm - Red	Crosshair	Class 1M	20°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
19	VLM-635-58 LPO-D20-F40	635nm - Red	Crosshair	Class 1M	20°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
20	VLM-635-58 LPO-D20-F90	635nm - Red	Crosshair	Class 1M	20°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
21	VLM-635-58 LPT-D20-F10	635nm - Red	Crosshair	Class 2M	20°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
22	VLM-635-58 LPT-D20-F20	635nm - Red	Crosshair	Class 2M	20°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
23	VLM-635-58 LPT-D20-F40	635nm - Red	Crosshair	Class 2M	20°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
24	VLM-635-58 LPT-D20-F90	635nm - Red	Crosshair	Class 2M	20°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
25	VLM-635-58 LPO-D30-F10	635nm - Red	Crosshair	Class 1M	30°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
26	VLM-635-58 LPO-D30-F20	635nm - Red	Crosshair	Class 1M	30°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
27	VLM-635-58 LPO-D30-F40	635nm - Red	Crosshair	Class 1M	30°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
28	VLM-635-58 LPO-D30-F90	635nm - Red	Crosshair	Class 1M	30°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
29	VLM-635-58 LPT-D30-F10	635nm - Red	Crosshair	Class 2M	30°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
30	VLM-635-58 LPT-D30-F20	635nm - Red	Crosshair	Class 2M	30°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
31	VLM-635-58 LPT-D30-F40	635nm - Red	Crosshair	Class 2M	30°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
32	VLM-635-58 LPT-D30-F90	635nm - Red	Crosshair	Class 2M	30°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
33	VLM-635-58 LPO-D60-F10	635nm - Red	Crosshair	Class 1M	60°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
34	VLM-635-58 LPO-D60-F20	635nm - Red	Crosshair	Class 1M	60°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
35	VLM-635-58 LPO-D60-F40	635nm - Red	Crosshair	Class 1M	60°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
36	VLM-635-58 LPO-D60-F90	635nm - Red	Crosshair	Class 1M	60°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
37	VLM-635-58 LPT-D60-F10	635nm - Red	Crosshair	Class 2M	60°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
38	VLM-635-58 LPT-D60-F20	635nm - Red	Crosshair	Class 2M	60°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
39	VLM-635-58 LPT-D60-F40	635nm - Red	Crosshair	Class 2M	60°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
40	VLM-635-58 LPT-D60-F90	635nm - Red	Crosshair	Class 2M	60°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
41	VLM-635-58 LPO-D110-F10	635nm - Red	Crosshair	Class 1M	110°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
42	VLM-635-58 LPO-D110-F20	635nm - Red	Crosshair	Class 1M	110°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
43	VLM-635-58 LPO-D110-F40	635nm - Red	Crosshair	Class 1M	110°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
44	VLM-635-58 LPO-D110-F90	635nm - Red	Crosshair	Class 1M	110°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
45	VLM-635-58 LPT-D110-F10	635nm - Red	Crosshair	Class 2M	110°	10 cm	No	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
46	VLM-635-58 LPT-D110-F20	635nm - Red	Crosshair	Class 2M	110°	20 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
47	VLM-635-58 LPT-D110-F40	635nm - Red	Crosshair	Class 2M	110°	40 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
48	VLM-635-58 LPT-D110-F90	635nm - Red	Crosshair	Class 2M	110°	90 cm	No	IEC 60825-1 FDA	Datasheet download User manual download
49	VLM-635-59 LPO-D10-F10	635nm - Red	Crosshair	Class 1M	10°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
50	VLM-635-59 LPO-D10-F20	635nm - Red	Crosshair	Class 1M	10°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
51	VLM-635-59 LPO-D10-F40	635nm - Red	Crosshair	Class 1M	10°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
52	VLM-635-59 LPO-D10-F90	635nm - Red	Crosshair	Class 1M	10°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
53	VLM-635-59 LPT-D10-F10	635nm - Red	Crosshair	Class 2M	10°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
54	VLM-635-59 LPT-D10-F20	635nm - Red	Crosshair	Class 2M	10°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
55	VLM-635-59 LPT-D10-F40	635nm - Red	Crosshair	Class 2M	10°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
56	VLM-635-59 LPT-D10-F90	635nm - Red	Crosshair	Class 2M	10°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
57	VLM-635-59 LPO-D15-F10	635nm - Red	Crosshair	Class 1M	15°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
58	VLM-635-59 LPO-D15-F20	635nm - Red	Crosshair	Class 1M	15°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
59	VLM-635-59 LPO-D15-F40	635nm - Red	Crosshair	Class 1M	15°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
60	VLM-635-59 LPO-D15-F90	635nm - Red	Crosshair	Class 1M	15°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
61	VLM-635-59 LPT-D15-F10	635nm - Red	Crosshair	Class 2M	15°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
62	VLM-635-59 LPT-D15-F20	635nm - Red	Crosshair	Class 2M	15°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
63	VLM-635-59 LPT-D15-F40	635nm - Red	Crosshair	Class 2M	15°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
64	VLM-635-59 LPT-D15-F90	635nm - Red	Crosshair	Class 2M	15°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
65	VLM-635-59 LPO-D20-F10	635nm - Red	Crosshair	Class 1M	20°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
66	VLM-635-59 LPO-D20-F20	635nm - Red	Crosshair	Class 1M	20°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
67	VLM-635-59 LPO-D20-F40	635nm - Red	Crosshair	Class 1M	20°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
68	VLM-635-59 LPO-D20-F90	635nm - Red	Crosshair	Class 1M	20°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
69	VLM-635-59 LPT-D20-F10	635nm - Red	Crosshair	Class 2M	20°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
70	VLM-635-59 LPT-D20-F20	635nm - Red	Crosshair	Class 2M	20°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
71	VLM-635-59 LPT-D20-F40	635nm - Red	Crosshair	Class 2M	20°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
72	VLM-635-59 LPT-D20-F90	635nm - Red	Crosshair	Class 2M	20°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
73	VLM-635-59 LPO-D30-F10	635nm - Red	Crosshair	Class 1M	30°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
74	VLM-635-59 LPO-D30-F20	635nm - Red	Crosshair	Class 1M	30°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
75	VLM-635-59 LPO-D30-F40	635nm - Red	Crosshair	Class 1M	30°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
76	VLM-635-59 LPO-D30-F90	635nm - Red	Crosshair	Class 1M	30°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
77	VLM-635-59 LPT-D30-F10	635nm - Red	Crosshair	Class 2M	30°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
78	VLM-635-59 LPT-D30-F20	635nm - Red	Crosshair	Class 2M	30°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
79	VLM-635-59 LPT-D30-F40	635nm - Red	Crosshair	Class 2M	30°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
80	VLM-635-59 LPT-D30-F90	635nm - Red	Crosshair	Class 2M	30°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
81	VLM-635-59 LPO-D60-F10	635nm - Red	Crosshair	Class 1M	60°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
82	VLM-635-59 LPO-D60-F20	635nm - Red	Crosshair	Class 1M	60°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
83	VLM-635-59 LPO-D60-F40	635nm - Red	Crosshair	Class 1M	60°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
84	VLM-635-59 LPO-D60-F90	635nm - Red	Crosshair	Class 1M	60°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
85	VLM-635-59 LPT-D60-F10	635nm - Red	Crosshair	Class 2M	60°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
86	VLM-635-59 LPT-D60-F20	635nm - Red	Crosshair	Class 2M	60°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
87	VLM-635-59 LPT-D60-F40	635nm - Red	Crosshair	Class 2M	60°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
88	VLM-635-59 LPT-D60-F90	635nm - Red	Crosshair	Class 2M	60°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
89	VLM-635-59 LPO-D110-F10	635nm - Red	Crosshair	Class 1M	110°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
90	VLM-635-59 LPO-D110-F20	635nm - Red	Crosshair	Class 1M	110°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
91	VLM-635-59 LPO-D110-F40	635nm - Red	Crosshair	Class 1M	110°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
92	VLM-635-59 LPO-D110-F90	635nm - Red	Crosshair	Class 1M	110°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
93	VLM-635-59 LPT-D110-F10	635nm - Red	Crosshair	Class 2M	110°	10 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
94	VLM-635-59 LPT-D110-F20	635nm - Red	Crosshair	Class 2M	110°	20 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

No.	Order Code	Wavelength	Beam shape	Laser power output	Fan angle	Focus distance	TTL function	Certification	Datasheet / User manual Download
95	VLM-635-59 LPT-D110-F40	635nm - Red	Crosshair	Class 2M	110°	40 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download
96	VLM-635-59 LPT-D110-F90	635nm - Red	Crosshair	Class 2M	110°	90 cm	Yes	IEC 60825-1 FDA	Datasheet download User manual download

@Copyright 2020 Quarton inc. All Rights Reserved.

Headquarter

QUARTON INC.

Tel: 886-2-2648-5656
 Fax: 886-2-2648-5522
 contact@quarton.com
 www.quarton.com

USA

QUARTON USA INC.

Cell: 210-837-3485
 contact@quarton.com
 www.quarton.com